

2020 Special Order Product Catalog

Decking | Railing | Fasteners | Cladding











Why Fiberon?

Beautiful from start to finish.

If you haven't seen today's composite decking, you're in for a treat. Fiberon® capped composites capture the warmth and beauty of natural and exotic hardwoods, complete with subtle streaking, varied grain patterns and rich color palettes. And since capped composite decking doesn't fade or degrade like wood, the look you love today will still be there tomorrow.

Longer lifespan, lower cost of ownership.

The average pressure-treated deck can cost thousands per year to maintain and will need replacing before you know it. Fiberon composite decks average less than \$50 in annual maintenance costs. Plus, Fiberon offers industry-leading stain and fade and performance warranties, so you can buy and build with confidence.

Safe for your family, safe for the environment.

Fiberon composite decking contains recycled plastics and lumber mill scraps – enough to prevent 70,000 tons of waste from reaching landfills and incinerators each year. Unlike wood, our composites prevent further deforestation. Plus, they are free of toxic chemicals and manufactured using sustainable processes.



Helpful, credible experts.

Whether it's finding the perfect board color, designing a deck layout or providing tips on selecting a contractor, Fiberon is here to help. We offer straightforward information and honest advice so you can make the best decisions for your unique space.

Tools you want, the way you want them.

Intuitive and easy to use, our Outdoor Living Visualizer, Deck Design Tool and Cost Calculator work on multiple devices so you can dream, design and plan anywhere, anytime.



Learn more at **fiberondecking.com/design-tools.**The Fiberon Discovery Deck Design Tools app can be found on the Apple App Store and the Google Play Store.





Local roots, global reach.

Fiberon products are made in the United States, both in our home state of North Carolina and in Idaho. From these two locations, we distribute throughout North America and to more than two dozen countries in Europe, Asia, Australia, and Central and South America.



fiberon Paramount®

Discover high-performance, low-maintenance decking that suits a busy lifestyle. Made from durable PVC, Paramount is a great choice if you're looking for something lightweight with excellent slip resistance. Paramount deck boards are wood free, eliminating the potential for mold growth and making them ideal for docks and other waterside applications.

- Lightweight, easy-to-handle boards.
- Resists moisture, dents and flames.
- Offers exceptional slip resistance when dry or wet.




A palette of four colors – three multi-tonal and one solid – provides plenty of design options for a variety of applications.



Square Edge = 1 in. x 5.5 in. Length: 20 ft. Grooved Edge = 1 in. x 5.5 in. Lengths: 12 ft., 16 ft. and 20 ft.

Fascia: .50 in. x 11.75 in. x 12 ft.





fiberon Concordia™

Create a tranquil outdoor retreat with Fiberon®

Concordia decking. From peaceful mornings to warm summer nights, Concordia is the perfect fit for your casual lifestyle. Concordia features our exclusive PermaTech® cap layer, providing superior stain and fade resistance.

- Dramatic colors and streaking emulate exotic hardwoods, and the low-gloss formula and microtexturing create a unique finish.
- Features subtle grain patterns with no repeats.
- Durable composite core resists splintering, rotting, cracking, insects and decay.







- - The flat-profile bottom provides a sturdy feel, reminiscent of traditional lumber.
 - Finished surface on top and bottom is ideal for second-story decks, and the reversible boards save time and money and reduce waste.
 - Tested for use in cladding applications.
 - Contains 94% recycled content.

Square Edge = .935 in. x 5.4 in. Lengths: 12 ft., 16 ft. and 20 ft. Grooved Edge = .935 in. x 5.4 in. Lengths: 12 ft., 16 ft. and 20 ft. Fascia: .75 in. x 11.25 in. x 12 ft.

Riser Board: .75 in. x 7.25 in. x 12 ft.











Composite decking for rainscreen applications.

Fiberon® Concordia square-edge deck boards are suitable for alternate uses, including vertical or horizontal cladding applications. Unlike traditional exterior cladding options, Fiberon cladding is constructed from low-maintenance, high-performance material that resists fading, cracking, peeling, mold development and mildew stains.

- Thick, solid profiles feature embossed grain patterns.
- Two distinct finishes offer subtle or dramatic multi-tonal streaking.
- Boards work in vertical or horizontal applications.
- Easy to cut, easy to install (no special tools or trade-specific labor needed).
- Contains 94% recycled content.
- Suitable for soffits, screen facades and similar applications.















floeron Sanctuary®

Enjoy a relaxing, personal oasis with Fiberon®

Sanctuary decking. Beautiful and easy to maintain,


Sanctuary decking features bold, multi-tonal colors

and rustic embossing with an innovative PermaTech®

cap layer for superior stain and fade resistance.

- Three-sided PermaTech cap layer resists fading.
- The flat-profile bottom provides a sturdy feel, reminiscent of traditional lumber.
- Strong composite construction resists splintering, rotting, cracking, insects and decay.
- Contains 95% recycled content.














Square Edge = 0.925 in. x 5.25 in. Lengths: 16 ft. and 20 ft.

Grooved Edge = 0.925 in. x 5.25 in. Lengths: 12 ft., 16 ft. and 20 ft. Fascia: .75 in. x 11.25 in. x 12 ft.

Riser Board: .75 in. x 7.25 in. x 12 ft.





fiberon Good Life

Take time to unwind with Fiberon® Good Life decking. Perfect for hosting neighborhood gatherings, enjoying a summer dinner with your family or relaxing outside after a long week, Good Life offers unbeatable performance and durability for any decking project needs.

Escapes Collection










Matching fascia available in all colors.


- Authentic wood look features distinct grain patterns.
- Escapes Collection features multi-tonal colors that resemble exotic hardwoods.
- Composite construction prevents splintering, cracking and decay.
- Three-sided cap layer resists staining and fading.
- Low maintenance and easy to clean.














- Contains 96% recycled content.
- Durable, long-lasting and priced closer to wood.
- Weekender Collection features solid colors for a traditional stained deck look.



Square Edge = .93 in. x 5.25 in. Lengths: 12 ft., 16 ft. and 20 ft.



Grooved Edge = .93 in. x 5.25 in. Lengths: 12 ft., 16 ft. and 20 ft. Fascia: .75 in. x 11.25 in. x 12 ft.



fiberon Jatoba

Whether you're seeking solitude or social time, you can enjoy a beautiful, easy-to-own outdoor living space with Fiberon® decking. Jatoba is the perfect blend of good looks, great performance and easy maintenance. And with the innovative PermaTech® cap layer for stain and fade resistance and a durable composite core, your deck will stay looking beautiful year after year.

- Multi-tonal colors with bold, high-texture wood grain replicate the look of real wood.
- Three-sided PermaTech cap layer resists staining and fading.
- Strong composite construction prevents splintering, cracking, insect infestation and decay.
- Never needs painting or refinishing, unlike wood.
- Complementary fascia available.







Square Edge = 0.925 in. x 5.25 in. Lengths: 16 ft.

Grooved Edge = 0.925 in. x 5.25 in. Lengths: 12 ft., 16 ft. and 20 ft. Fascia: .75 in. x 11.25 in. x 12 ft.



page 16



filoeron ArmorGuard®

ArmorGuard® decking features Fiberon's patentpending PermaTech® technology, providing durability and lasting, exotic wood colors, warranted for 25 years against staining and fading. ArmorGuard decking is mold and mildew resistant and never needs annual preserving or painting.

- The rich look of exotic hardwoods in multi-tonal colors.
- Three-sided PermaTech protective surface with realistic wood grains.
- Never needs staining or refinishing unlike wood.
- Easy to clean; mold and mildew resistant.
- Matching fascia available.











Square Edge = 0.93 in. x 5.3 in. Lengths: 8 ft.* and 20 ft.



Grooved Edge = 0.93 in. x 5.3 in. Lengths: 12 ft., 16 ft. and 20 ft. Fascia: .75 in. x 11.25 in. Lengths: 8 ft.* and 12 ft.





Veranda® Decking by Fiberon®

Veranda® composite decking by Fiberon® offers homeowners the benefits of capped composite decking at a price closer to wood. Available in two popular solid colors, Brown and Gray, Veranda composite decking is capped on three sides and backed by a 25-year stain, fade and performance limited warranty.

- Great performance, exceptional value and priced closer to wood.
- Solid colors for a traditional stained deck look.
- NEW 16-ft. grooved decking for hidden fastener installation.
- Pre-finished with durable, protective cap.
- Never needs painting or refinishing, unlike wood.
- Easy to clean; mold and mildew resistant.
- Complementary fascia available.











Square Edge = 0.93 in. x 5.3 in. Lengths: 12 ft. and 16 ft.



Grooved Edge = 0.93 in. x 5.3 in. Lengths: 16 ft.

Fascia: .75 in. x 11.25 in. x 12 ft.

Complementary fascia: Fiberon Good Life Cabin (Brown) and Fiberon ArmorGuard Seaside Gray.



Technical Specifications

	PVC	PE Composite				
Decking	Paramount [®]	Concordia™	Sanctuary®	Good Life®		
Board Profile Dimensions	Flat bottom 1 in. x 5.5 in.	Flat bottom .935 in. x 5.4 in.	Flat bottom .925 in. x 5.25 in.	Scalloped bottom .93 in. x 5.25 in.		
Square-Edge Profile						
Grooved-Edge Profile						
Reversible	No	Yes	No	No		
Material	Cellular Foam Polymer with co-extruded cap on 3 sides	Wood-plastic composite core with co-extruded PermaTech cap on 4 sides	Wood-plastic composite core with co-extruded PermaTech cap on 3 sides	Wood-plastic composite core with co-extruded cap on 3 sides		
Multi-Tonal	Brownstone, Flagstone and Sandstone	Burnt Umber, Cinnabar, Graphite, Warm Sienna, Ipe, Castle Gray, Rosewood and Tudor Brown	Espresso, Latte, Earl Grey, Moringa and Chai	Beach House, Bungalow and Tuscan Villa		
Solid Colors	N/A	N/A	N/A	Cabin and Cottage		
Limited Performance Warranty	Lifetime	Lifetime	40 Year	Escapes 30 Year Weekender 25 Year		
Stain and Fade Warranty	50 Year	50 Year	40 Year	Escapes 30 Year Weekender 25 Year		
Square-Edge Lengths	16 and 20 ft.	12, 16 and 20 ft.	12, 16 and 20 ft.	12, 16 and 20 ft.		
Grooved-Edge Lengths	12, 16 and 20 ft.	12, 16 and 20 ft.	12, 16 and 20 ft.	12, 16 and 20 ft.		
Span Limitations						
Perpendicular to joist:	16 in.	16 in.	16 in.	16 in.		
Up to 45 degree angle to joist:	12 in.	12 in.	12 in.	12 in.		
Stair tread spacing:	24 in.*	12 in.	12 in.	12 in.		
Fascia Available	.50 in. x 11.75 in. x 12 ft. Complementary colors	.75 in. x 11.25 in. x 12 ft. Matching colors	.75 in. x 11.25 in. x 12 ft. Matching colors	.75 in. x 11.25 in. x 12 ft. Matching colors		
Risers Available	N/A	.75 in. x 7.25 in. x 12 ft. All colors	.75 in. x 7.25 in. x 12 ft. All colors	N/A		

Fiberon Concordia has been tested to be compliant with the 2012/2015 IRC, Section R104.11 and Section R703, and the 2012/2015 IBC Section 1403.2, Section 104.11, Section 1404.1, and Section 1405.17. It has also met the requirements of ASTM E84, NFPA 268, ASTM D1929, ASTM D635, Miaim-Dade County Wind Resistance Testing TAS 201/202/203 when installed in accordance with Fiber Composites, LLC written installation instructions. Fiberon Cladding has Florida Approval Number FL21959, and Texas Department of Insurance Product Evaluation #MC-18.

*When installing Paramount decking, secure stair treads over and in contact with a treated pine 2x6, installed flat, not on edge, as under support and secured with Simpson A23 approved connectors and 10d x 1-1/2 in. hot galvanized nails.



WARNING

Drilling, sawing, or machining wood-composite products containing wood fiber can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling dust generated from wood-composite products or use a dust mask or other safeguards for personal protection. For more information, go to www.P65Warnings.ca.gov.

	PE Composite				
Decking	Jatoba	ArmorGuard®	Veranda [®]		
Board Profile Dimensions	Flat bottom .925 in. x 5.25 in.	Scalloped bottom .93 in. x 5.3 in.	Scalloped bottom .93 in. x 5.3 in.		
Square-Edge Profile					
Grooved-Edge Profile					
Reversible	No	No	No		
Material	Wood-plastic composite core with co-extruded PermaTech cap on 3 sides	Wood-plastic composite core with co-extruded PermaTech cap on 3 sides	Wood-plastic composite core with co-extruded cap on 3 sides		
Multi-Tonal	Jatoba	Brazilian Walnut, Nantucket Gray, Coastal Cedar and Seaside Gray	N/A		
Solid Colors	N/A	N/A	Brown and Gray		
Limited Performance Warranty	25 Year	25 Year	25 Year		
Stain and Fade Warranty	25 Year	25 Year	25 Year		
Square-Edge Lengths	16 ft.	20 ft.	12 and 16 ft.		
Grooved-Edge Lengths	12, 16 and 20 ft.	12, 16 and 20 ft.	16 ft.		
Span Limitations Perpendicular to joist: Up to 45 degree angle to joist: Stair tread spacing:	16 in. 12 in. 12 in.	16 in. 12 in. 12 in.	16 in. 12 in. 12 in.		
Fascia Available	.75 in. x 11.25 in. x 12 ft. Complementary colors	.75 in. x 11.25 in. x 12 ft. Matching colors	.75 in. x 11.25 in. x 12 ft. Complementary colors		
Risers Available	.75 in. x 7.25 in. x 12 ft. Complementary colors	N/A	N/A		

How to Purchase

Fiberon® Phantom® Universal Hidden Fasteners

- For deck surfaces and ramps only. Not for use on stairs.
- Available in boxes of 90 pre-inserted screws with T-15 star-head drive (50 sq. ft. of coverage) for 16 in.
 on-center installations.
- Also available in buckets of 900 pre-inserted screws with T-15 star-head drive (500 sq. ft.) for 16 in. oncenter installations.



Fiberon® Phantom® GT Line Hidden Fasteners

- For deck surfaces and ramps only. Not for use on stairs.
- Available in boxes of 80 line fasteners, 10 butt-joint fasteners, 95 screws #8 x 1/5 in. and one driver bit (50 sq. ft. of coverage) for up to 16-in. on-center installations.
- Also available in buckets of 800 line fasteners, 100 butt-joint fasteners, 950 screws #8 x 1/5 in. and eight driver bits (500 sq. ft. of coverage) for 16-in. on-center installations.



Fiberon® ArmorGuard® Hidden Fasteners

- For deck surfaces and ramps only. Not for use on stairs.
- Available in boxes of 80 line fasteners, 10 butt-joint fasteners, six start / stop fasteners, 95 screws #8 x 1/5 in. six screws #8 x 7/8 in and one driver bit (50 sq. ft. of coverage) for up to 16-in. on-center installations.
- Also available in buckets of 800 line fasteners, 100 butt-joint fasteners, 950 screws #8 x 1/5 in., 60 start / stop fasteners, 60 screws #8 x 7/8 in and eight driver bits (500 sq. ft. of coverage) for 16-in. on-center installations.



Fiberon® Phantom® EC (End Clip) Hidden Fasteners

- Use with perimeter boards.
- Available in bags (25 lineal ft. of coverage) that include 25 clips, 40 screws and a driver bit for up to 12-in. oncenter installations.

Fiberon® Phantom® 20EC (End Clip) Hidden Fasteners

- Use with Paramount® PVC decking perimeter boards.
- Available in bags (25 lineal ft. of coverage) that include 25 clips, 40 screws and a driver bit for up to 12-in. oncenter installations.

Tiger Claw® TC-G Hidden Fasteners

- Use with Paramount for deck surfaces and ramps only. Not for use on stairs.
- See fastenmaster.com for purchasing options.

Cortex® and Pro Plug® Hidden Face Fastening System

- Use to secure boards as well as stairs.
- Available in boxes (100 l/f of coverage for 12-in. on-center installations or 140 l/f of coverage for up to 16-in. on-center installations).
- Select colors available in buckets (300 l/f of coverage) that contain 1,050 2-1/2-in. screws, 1,200 color-matched plugs and six setting tools.
- Boxes contain 224 2-1/2-in. screws, 300 color-matched plugs and screw setting tools.

Cap-Tor® xd Color-Matched Screws

- Cap-Tor xd screws are color matched to Fiberon® decking.
- Available for PE and PVC Deck boards.
- Epoxy coated carbon steel (350 and 1750 screw packages available. T-20 Star bit included).
- 305 Grade Stainless Steel version also available (100 screw package, T-20 Star bit included).
- Use with Smart Bit Depth Setter Bit.

Deckfast® Fascia Screws

- Designed to handle the large amount of expansion and contraction that can occur with composite deck fascia boards.
- Epoxy coated carbon steel screws (available in 100 screw package with T-20 star bit).
- Fascia drill bit sold separately.





Fastener Compatibility Chart

Hidden Fastening


Decking	Paramount®	Concordia™ Symmetry® & Horizon®	Sanctuary®	Good Life®	Jatoba	ArmorGuard® & Veranda®
Deck Surfaces and Ramps Not for use on stairs.	Tiger Claw TC-G hidden fasteners	Fiberon ArmorGuard, Phantom GT & Fiberon Phantom Universal Fasteners				
Perimeter Boards	Phantom 20EC Fasteners	Phantom EC Fasteners	Phantom EC Fasteners	N/A	Phantom EC Fasteners	N/A

Face Fastening*

Decking	Paramount®	Concordia™ Symmetry® & Horizon®	Sanctuary®	Good Life®	Jatoba	ArmorGuard® & Veranda®
Deck Surfaces and Ramps Not for use on stairs.	Cortex System or Cap-Tor xd deck screws	Cortex System or Cap-Tor xd deck screws	Pro Plug System or Cap-Tor xd deck screws	Cortex System or Cap-Tor xd deck screws	Cortex or Cap-Tor xd deck screws	Cap-Tor xd deck screws
Perimeter Boards	Cortex System or Cap-Tor xd deck screws	Cortex System or Cap-Tor xd deck screws	Pro Plug System or Cap-Tor xd deck screws	Cortex System or Cap-Tor xd deck screws	Cortex System or Cap-Tor xd deck screws	Cap-Tor xd deck screws
Fascia	Deckfast Fascia Screws	Pro Plug Fascia System or Deckfast Fascia Screws	Deckfast Fascia Screws			
Risers	N/A	Pro Plug Fascia System or Deckfast Fascia Screws	Pro Plug Fascia System or Deckfast Fascia Screws	N/A	Pro Plug Fascia System or Deckfast Fascia Screws	N/A

^{*}Use a minimum #8 x 2.5-in. composite deck screw. For additional surface fastening options, visit www.starbornindustries.com. For more details on deck board fasteners, consult Fiberon Decking Installation Instructions at

For more details on deck board fasteners, consult Fiberon Decking Installation Instructions at fiberondecking.com/resources/installation-instructions





floeron HavenView™

Strong is stylish.

From its understated satin finish to its clever sub-rail reinforcement, HavenView CountrySide railing is the ideal balance of beauty and strength. The sculpted top rail imparts a touch of sophistication. Three color choices and two baluster infill options create multiple designs. The smart composite construction and protective bonded cap layer were engineered for performance and longevity.

CountrySide

- Refined satin finish adds elegance.
- Composite construction ensures lasting durability.
- Reinforced top rail provides a strong, sturdy feel.
- Hidden hardware gives a clean look.



Sold in line / stair sections as follows:

- . 6- and 8-ft. sections for 36-in. rail height.
- 6- and 8-ft. sections for 42-in. rail height.

These sections include top and bottom rails, sub-rails, balusters, crush blocks and holders, and mounting hardware.

Choose from beveled composite balusters or round aluminum balusters.




Simply Brown




Top Rail = 3 in. x 3 in. Bottom Rail = 2.5 in. x 2 in.









fiberon HavenView™

Maximize your view.

The sleek, minimalist design of HavenView CitySide railing maximizes the view beyond your deck or porch, while the durable, long-lasting aluminum construction minimizes maintenance time and expense. Engineered with a pre-punched bottom rail for ease of install, this lightweight railing solution delivers on reliability, beauty and performance.

CitySide

- Clean lines and contemporary styling work with any architecture.
- Pre-punched bottom rail enables faster baluster installation.
- Premium powder-coated aluminum resists rust.
- No exposed welds or cuts help prevent injuries.
- Posts feature integral bracketing, providing a clean appearance and reducing installation time.
- Low-maintenance performance material reduces upkeep time and expense.

Matte Black

Top Rail = 2.25 in. x 1.71 in. Bottom Rail = 1.32 in. x 1.31 in.


Four post configurations: end post, line post, corner post and stair post.



Sold in line / stair kits as follows:

• 6- and 8-ft. sections for 36-in. rail height.

These railing kits include top and bottom rails, square metal balusters, crush blocks and mounting screws.





floeron HavenView Railing

Design your space.



Round Metal Balusters

(HavenView CountrySide only, available in black.) 30 in. for a 36-in. line rail height 36 in. for a 42-in. line rail height

Beveled Composite Balusters

(HavenView CountrySide only, available in all colors.) 29.5 in. for a 36-in. line rail height 35.5 in. for a 42-in. line rail height



Post Sleeves

(Available in all colors.) 5 in. x 5 in. 39-, 45- and 108-in. lengths



Post Caps

(Available in all colors.) 5 in. x 5 in.



Post Skirts

(Available in all colors.) 5 in. x 5 in.



Round metal balusters appear to recede from view. Their shape and composition add contemporary flair, yet never detract from the surroundings. Offered in Serene Black.



Available with a beveled edge, composite balusters add classic appeal to any space. Choose from Tranquil White, Simply Brown or Serene Black.

Bring your deck design to life.

Planning a new deck can be challenging – we're here to help. Fiberon Discovery Deck Design Tools take the guesswork out of planning your outdoor living space project and provide you with the resources you need to navigate your deck design journey - from start to finish.


Learn more at fiberondecking.com/design-tools. The Fiberon Discovery Deck Design Tools app can be found on the Apple App Store and the Google Play Store.







Choose your railing.





composite baluste color will match railing choice.

Black Metal Round Balusters

Choose your post sleeves, caps and skirts.









Serene Black





Matte Black



2.5 in. x 2.5 in. Post (Available for CitySide only.)

Note: Four post configurations: end post, line post, corner post and stair post.



Post Caps (Available for CitySide only.)



Post Skirts (Available for CitySide only.)



fiberon ArmorGuard®

Traditional look that lasts.

Fiberon ArmorGuard railing is a proven performer.

Choose between popular flat or decorative top
profiles for your deck, porch or balcony. ArmorGuard
railing complements any architectural style and is
available with white square composite balusters.

- High-quality composite never needs to be stained or painted.
- Eco-friendly composite core and durable PVC coating ensure lasting performance, resisting splintering, cracking and rotting.
- Easy installation makes it DIY-friendly.





Deluxe Rail

- Decorative top rail profile.
- 6- and 8-ft. rail kits, hardware sold separately.*
- 6-ft. stair rail kits, hardware included.
- 1.25 in. x 1.25 in. square balusters.

*Actual size: 70 in. (6 ft.) and 94 in. (8 ft.).



Regency® Rail

- Smooth, flat, drink-friendly top rail profile.
- 6- and 8-ft. rail kits, hardware sold separately.*
- 6-ft. stair rail kits, hardware included.
- 1.5 in. x 1.5 in. square balusters.

*Actual size: 70 in. (6 ft.) and 94 in. (8 ft.).



Classic Rail

- Elegant, sculpted top rail profile.
- 6- and 8-ft. rail kits, hardware sold separately.*
- 6-ft. stair rail kits, hardware included.
- 1.25 in. x 1.25 in. square balusters.

*Actual size: 70 in. (6 ft.) and 94 in. (8 ft.).



Enclave® Rail

- Flat and beveled top rail profile.
- 6-ft. rail kits, hardware sold separately.*
- 6-ft. stair rail kits, hardware included.
- .875 in. x .875 in. square balusters.

*Actual size: 70 in. (6 ft.).



ArmorGuard® Railing



4in. x 4in. x 95.5in. Post Sleeve


POST SLV 95.5 WH

4in. x 4in. x 40in. Post Sleeve

POST SLV 40 WH

Post Sleeve Surface Mount

BKT POST SLV MT F



Rail Accessories



New England Post Sleeve Cap **CAP N E 4 WHT F**



Post Sleeve Moulding
POST SLV MLDG 4 WH F



Bevel Post Sleeve Cap

CAP BEVEL 4 WHT



Angle Hardware **BKT ANGLE 4PK W C**



Beautiful outdoor living, built for life.



Decking | Railing | Fasteners | Cladding









f Pinterest in You Tube

fiberondecking.com | 1.800.230.7547

Fiberon, ArmorGuard, Paramount, Horizon, Sanctuary, Permatech, Phantom and Symmetry are trademarks of Fiber Composites, LLC, registered in the U.S. and other countries.



ade in the USA